


FERESTRE, USI, RULOURI

Cod intern	
Data curenta	17 Jan 2019
Data livrare	17 Jan 2019
Creat de	k100a-0-

1/17/2019 10:51:47 AM

Poziția		Cant.	Preț EUR	Total EUR
	Fereastră 1 Serie: ADF Design 82mm MD Culoare INT: Golden Oak51 Culoare EXT: Golden Oak51 Toc: HP9220 Toc Design 73mm - clasa A Otel Toc: SR302620.07 R 30*26*2mm Bagheta: Design toc Garnitura: Negre Montaj: Fara montaj + G.M. Drenaj: Picuratori in exterior	1	99.80 Uf: 1.00 W/m²K	99,80
Vedere Interioara				
Vitrare				
1	48mm, SUN6/Tp18/F4/Tp16/XN4 Arg.90%		Lmm * Hmm	412 * 1031
	Ug: 0.50 W/m²K Ψ: 0.04 W/mK TL: 65.00 % Sg: 0.35			
Profile suplimentare				
	1 x 520 mm Sohlbank H=30mm L=45mm,			
Uw:	0.86 W/m²K	Sw:	0.21 W/m²K	Rw(C,Ctr): 35(-3;-5)
Suprafata:	0,56 mp	Greutate:	24,88 kg	Perimetru: 3,44 ml
				R. Aer: 4
				R. Apa:9A
				R. Vant: C5/B5
				Total: 99.80

Aceasta oferta este valabila 10 zile.


Data curenta: 1/17/2019

Pag. 1 din 8


DuraTherm

Durability & Thermal efficiency • Warm Edge system

Poziția	Cant.	Preț EUR	Total EUR
---------	-------	----------	-----------




Fereastră 2	1	270.16	270,16
Serie:	ADF Design 82mm MD	Uf: 1.00 W/m ² K	
Culoare INT:	Golden Oak51		
Culoare EXT:	Golden Oak51		
Toc:	HP9220	Toc Design 73mm - clasa A	
Otel Toc:	SR302620.07	R 30*26*2mm	
Cercevea:	HP8920	Cercevea Arcuita 85mm - clasa A	
Otel CCV.:	VS8050.074	G 35*26*2mm	
Montant:	HP9420	Montant Arcuit 96mm pt. toc	
Bagheta:	Design toc		
Garnitura:	Negre		
Marcă Fer:	Maco MM Bronze		
Set Fero.:	AHS		
Maner:	MF_H_01 Bronze		
Montaj:	Fara montaj + G.M.		
Drenaj:	Picuratori in exterior		

Vitrare			
2	48mm, SUN6/Tp18/F4/Tp16/XN4 Arg.90%	Lmm * Hmm	782 * 707
1	48mm, SUN6/Tp18/F4/Tp16/XN4 Arg.90%	Lmm * Hmm	782 * 807
Ug: 0.50 W/m ² K Ψ: 0.04 W/mK TL: 65.00 % Sg: 0.35			

Accesorii			
Plasa insecte fereastră cu balamale, Golden Oak (899x824mm)	1 buc		12.45

Profile suplimentare
1 x 1830 mm Sohlbank H=30mm L=45mm ,

Uw:	0.81 W/m ² K	Sw:	0.22 W/m ² K	Rw(C,Ctr):	35(-3;-5)	R. Aer:	4	R. Apa:	9A	R. Vant:	C5/B5
Suprafata:	1,73 mp	Greutate:	73,03 kg	Perimetru:	5,55 ml	Total:		282.61			



Vedere Interioara

Fereastră 3	1	213.01	213,01
Serie:	ADF Design 82mm MD	Uf: 1.00 W/m ² K	
Culoare INT:	Golden Oak51		
Culoare EXT:	Golden Oak51		
Toc:	HP9220	Toc Design 73mm - clasa A	
Otel Toc:	SR302620.07	R 30*26*2mm	
Bagheta:	Design toc		
Garnitura:	Negre		
Montaj:	Fara montaj + G.M.		
Drenaj:	Picuratori in exterior		


Vitrare			
1	48mm, SUN6/Tp18/F4/Tp16/XN4 Arg.90%	Lmm * Hmm	1092 * 932
Ug: 0.50 W/m ² K Ψ: 0.04 W/mK TL: 65.00 % Sg: 0.35			

Profile suplimentare
1 x 1200 mm Sohlbank H=30mm L=45mm ,

Uw:	0.74 W/m ² K	Sw:	0.26 W/m ² K	Rw(C,Ctr):	35(-3;-5)	R. Aer:	4	R. Apa:	9A	R. Vant:	C5/B5
Suprafata:	1,13 mp	Greutate:	50,74 kg	Perimetru:	4,54 ml	Total:		213.01			

Aceasta oferta este valabila 10 zile.



Poziția	Cant.	Preț EUR	Total EUR	
	UșăBalcon 4	1	397.05	397,05
	Serie:	ADF Design 82mm MD	Uf: 1.00 W/m²K	
	Culoare INT:	Golden Oak51		
	Culoare EXT:	Golden Oak51		
	Toc:	HP9220	Toc Design 73mm - clasa A	
	Otel Toc:	SR302620.07	R 30*26*2mm	
	Cercevea:	HP8920	Cercevea Arcuita 85mm - clasa A	
	Otel CCV.:	VS8050.074	G 35*26*2mm	
	Bagheta:	Design toc		
	Garnitura:	Negre		
	Marcă Fer:	Maco MM Bronze		
	Set Fero.:	AHS		
	Maner:	MF_H_01 Bronze		
	Prag:	HP9220	Toc Design 73mm+Protectie Aluminiu	
	Montaj:	Fara montaj + G.M.		
	Drenaj:	Picuratori in exterior		

Vedere Interioara

Deschidere Interioara

Vitrare	1	48mm, SUN6/Tp18/F4/Tp16/XN4 Arg.90%	Lmm * Hmm	652 * 1827
Ug:	0.50 W/m²K	Ψ: 0.04 W/mK	TL: 65.00 %	Sg: 0.35

Accesorii	Maner tip scoica Inox (0mm)	1 buc	5.86
-----------	-----------------------------	-------	------

Uw:	0.78 W/m²K	Sw:	0.22 W/m²K	Rw(C,Ctr):	35(-3;-5)	R. Aer:		R. Apa:		R. Vant:	
Suprafata:	1,68 mp	Greutate:	78,47 kg	Perimetru:	5,79 ml	Total:		402.91			

	Fereastră 5	1	139.74	139,74
	Serie:	ADF Design 82mm MD	Uf: 1.00 W/m²K	
	Culoare INT:	Golden Oak51		
	Culoare EXT:	Golden Oak51		
	Toc:	HP9220	Toc Design 73mm - clasa A	
	Otel Toc:	SR302620.07	R 30*26*2mm	
	Cercevea:	HP8920	Cercevea Arcuita 85mm - clasa A	
	Otel CCV.:	VS8050.074	G 35*26*2mm	
	Bagheta:	Design toc		
	Garnitura:	Negre		
	Marcă Fer:	Maco MM Bronze		
	Set Fero.:	Basculanta		
	Maner:	MF_H_01 Bronze		
	Montaj:	Fara montaj + G.M.		
	Drenaj:	Picuratori in exterior		

Vedere Interioara

Deschidere Interioara

Vitrare	1	48mm, SUN6/Tp18/F4/Tp16/XN4 Arg.90%	Lmm * Hmm	932 * 252
Ug:	0.50 W/m²K	Ψ: 0.04 W/mK	TL: 65.00 %	Sg: 0.35

Accesorii	Plasa insecte fereastră cu balamale, Golden Oak (1049x369mm)	1 buc	10.05
-----------	--	-------	-------

Profile suplimentare	1 x 1140 mm Sohlbank H=30mm L=45mm,										
Uw:	0.97 W/m²K	Sw:	0.12 W/m²K	Rw(C,Ctr):	35(-3;-5)	R. Aer:	4	R. Apa:	9A	R. Vant:	C5/B5
Suprafata:	0,56 mp	Greutate:	25,72 kg	Perimetru:	3,26 ml	Total:		149.79			

Aceasta oferta este valabila 10 zile.

Data curenta: 1/17/2019

Pag. 3 din 8



DuraTherm

Durability & Thermal efficiency • Warm Edge system

Poziția	Cant.	Preț EUR	Total EUR
 <p>Vedere Interioara</p>	1	122.04	122,04
<p>Fereastră 6 Serie: ADF Design 82mm MD Culoare INT: Golden Oak51 Culoare EXT: Golden Oak51 Toc: HP9220 Toc Design 73mm - clasa A Otel Toc: SR302620.07 R 30*26*2mm Bagheta: Design toc Garnitura: Negre Montaj: Fara montaj + G.M. Drenaj: Picuratori in exterior</p>			
		Uf: 1.00 W/m²K	

Vitrare			
1	48mm, SUN6/Tp18/F4/Tp16/XN4 Arg.90%	Lmm * Hmm	1732 * 342
Ug: 0.50 W/m²K Ψ: 0.04 W/mK TL: 65.00 % Sg: 0.35			

Profile suplimentare

1 x 1840 mm Sohlbank H=30mm L=45mm,

Uw:	0.87 W/m²K	Sw:	0.20 W/m²K	Rw(C,Ctr):	35(-3;-5)	R. Aer:	4	R. Apa:	9A	R. Vant:	C5/B5
Suprafata:	0,88 mp	Greutate:	35,63 kg	Perimetru:	4,64 ml			Total:	122.04		

 <p>Vedere Interioara</p> <p>Deschidere Interioara</p>	1	309.55	309,55
<p>Fereastră 7 Serie: ADF Design 82mm MD Culoare INT: Golden Oak51 Culoare EXT: Golden Oak51 Toc: HP9220 Toc Design 73mm - clasa A Otel Toc: SR302620.07 R 30*26*2mm Cercevea: HP8920 Cercevea Arcuita 85mm - clasa A Otel CCV.: VS8050.074 G 35*26*2mm Montant: HP9420 Montant Arcuit 96mm pt. toc Bagheta: Design toc Garnitura: Negre Marcă Fer: Maco MM Bronze Set Fero.: AHS Maner: MF_H_01 Bronze Montaj: Fara montaj + G.M. Drenaj: Picuratori in exterior</p>			
		Uf: 1.00 W/m²K	

Vitrare			
2	48mm, SUN6/Tp18/F4/Tp16/XN4 Arg.90%	Lmm * Hmm	722 * 997
1	48mm, SUN6/Tp18/F4/Tp16/XN4 Arg.90%	Lmm * Hmm	722 * 1097
Ug: 0.50 W/m²K Ψ: 0.04 W/mK TL: 65.00 % Sg: 0.35			

Accesorii

Plasa insecte fereastra cu balamale, Golden Oak (839x1114mm)	1 buc	14.10
--	-------	-------

Profile suplimentare

1 x 1710 mm Sohlbank H=30mm L=45mm,

Uw:	0.79 W/m²K	Sw:	0.23 W/m²K	Rw(C,Ctr):	35(-3;-5)	R. Aer:	4	R. Apa:	9A	R. Vant:	C5/B5
Suprafata:	2,11 mp	Greutate:	88,44 kg	Perimetru:	5,89 ml			Total:	323.65		

Aceasta oferta este valabila 10 zile.

Poziția	Cant.	Preț EUR	Total EUR
	1	306.43	306,43
Fereastră 8 Serie: ADF Design 82mm MD Culoare INT: Golden Oak51 Culoare EXT: Golden Oak51 Toc: HP9220 Toc Design 73mm - clasa A Otel Toc: SR302620.07 R 30*26*2mm Cercevea: HP8920 Cercevea Arcuita 85mm - clasa A Otel CCV.: VS8050.074 G 35*26*2mm Montant: HP9420 Montant Arcuit 96mm pt. toc Bagheta: Design toc Garnitura: Negre Marcă Fer: Maco MM Bronze Set Fero.: AHS Maner: MF_H_01 Bronze Montaj: Fara montaj + G.M. Drenaj: Picuratori in exterior		Uf: 1.00 W/m²K	

Vitrare			
2	48mm, SUN6/Tp18/F4/Tp16/XN4 Arg.90%	Lmm * Hmm	682 * 992
1	48mm, SUN6/Tp18/F4/Tp16/XN4 Arg.90%	Lmm * Hmm	782 * 1092
Ug: 0.50 W/m²K Ψ: 0.04 W/mK TL: 65.00 % Sg: 0.35			

Accesorii			
Plasa insecte fereastră cu balamale, Golden Oak (799x1109mm)	1 buc		13.75

Profile suplimentare							
1 x 1730 mm Sohlbank H=30mm L=45mm ,							
Uw: 0.78 W/m²K	Sw: 0.23 W/m²K	Rw(C,Ctr): 35(-3;-5)	R. Aer: 4	R. Apa:9A	R. Vant: C5/B5		
Suprafata: 2,13 mp	Greutate: 88,54 kg	Perimetru: 5,92 ml	Total:		320.18		

	1	322.29	322,29
Fereastră 9 Serie: ADF Design 82mm MD Culoare INT: Golden Oak51 Culoare EXT: Golden Oak51 Toc: HP9220 Toc Design 73mm - clasa A Otel Toc: SR302620.07 R 30*26*2mm Cercevea: HP8920 Cercevea Arcuita 85mm - clasa A Otel CCV.: VS8050.074 G 35*26*2mm Montant: HP9420 Montant Arcuit 96mm pt. toc Bagheta: Design toc Garnitura: Negre Marcă Fer: Maco MM Bronze Set Fero.: AHS Maner: MF_H_01 Bronze Montaj: Fara montaj + G.M. Drenaj: Picuratori in exterior		Uf: 1.00 W/m²K	

Vitrare			
3	48mm, SUN6/Tp18/F4/Tp16/XN4 Arg.90%	Lmm * Hmm	602 * 727
1,2	48mm, SUN6/Tp18/F4/Tp16/XN4 Arg.90%	Lmm * Hmm	602 * 827
Ug: 0.50 W/m²K Ψ: 0.04 W/mK TL: 65.00 % Sg: 0.35			


Profile suplimentare							
1 x 2130 mm Sohlbank H=30mm L=45mm ,							
Uw: 0.82 W/m²K	Sw: 0.22 W/m²K	Rw(C,Ctr): 35(-3;-5)	R. Aer: 4	R. Apa:9A	R. Vant: C5/B5		
Suprafata: 2,06 mp	Greutate: 86,81 kg	Perimetru: 6,19 ml	Total:		322.29		

Aceasta oferta este valabila 10 zile.

Poziția	Cant.	Preț EUR	Total EUR
	1	101.39	101,39
Fereastră 10 Serie: ADF Design 82mm MD Culoare INT: Golden Oak51 Culoare EXT: Golden Oak51 Toc: HP9220 Toc Design 73mm - clasa A Otel Toc: SR302620.07 R 30*26*2mm Bagheta: Design toc Garnitura: Negre Montaj: Fara montaj + G.M. Drenaj: Picuratori in exterior			
Vedere Interioara			

Vitrare			
1	48mm, SUN6/Tp18/F4/Tp16/XN4 Arg.90%	Lmm * Hmm	422 * 1041
Ug: 0.50 W/m ² K Ψ: 0.04 W/mK TL: 65.00 % Sg: 0.35			

Profile suplimentare							
1 x 530 mm Sohlbank H=30mm L=45mm ,							
Uw:	0.86 W/m ² K	Sw:	0.21 W/m ² K	Rw(C,Ctr):	35(-3;-5)	R. Aer:	4
Suprafata:	0,58 mp	Greutate:	25,44 kg	Perimetru:	3,48 ml	R. Apa:	9A
						R. Vant:	C5/B5
						Total:	101.39

	1	367.27	367,27
Fereastră 11 Serie: ADF Design 82mm MD Culoare INT: Golden Oak51 Culoare EXT: Golden Oak51 Toc: HP9220 Toc Design 73mm - clasa A Otel Toc: SR302620.07 R 30*26*2mm Bagheta: Design toc Garnitura: Negre Montaj: Fara montaj + G.M. Drenaj: Picuratori in exterior			
Vedere Interioara			

Vitrare			
1	48mm, SUN6/Tp18/F4/Tp16/XN4 Arg.90%	Lmm * Hmm	1092 * 2282
Ug: 0.50 W/m ² K Ψ: 0.04 W/mK TL: 65.00 % Sg: 0.35			
Profile suplimentare			
1 x 1200 mm Sohlbank H=30mm L=45mm ,			
Uw:	0.67 W/m ² K	Sw:	0.29 W/m ² K
Suprafata:	2,75 mp	Greutate:	111,25 kg
		Rw(C,Ctr):	34(-3;-5)
		Perimetru:	7,24 ml
		R. Aer:	4
		R. Apa:	9A
		R. Vant:	C5/B5
		Total:	367.27

Aceasta oferta este valabila 10 zile.

Data curenta: 1/17/2019


Pag. 6 din 8



DuraTherm

Durability & Thermal efficiency • Warm Edge system

Poziția	Cant.	Preț EUR	Total EUR
---------	-------	----------	-----------



Fereastră 12	1	546.51	546,51
Serie:	ADF Design 82mm MD	Uf: 1.00 W/m ² K	
Culoare INT:	Golden Oak51		
Culoare EXT:	Golden Oak51		
Toc:	HP9220	Toc Design 73mm - clasa A	
Otel Toc:	SR302620.07	R 30*26*2mm	
Bagheta:	Design toc		
Garnitura:	Negre		
Montaj:	Fara montaj + G.M.		
Drenaj:	Picuratori in exterior		

Vedere Interioara


Vitrare	1	48mm, SUN6/Tp18/Herra4/Tp16/XN4 Arg.90%	Lmm * Hmm	772 * 2282
Ug:	0.50 W/m ² K	Ψ: 0.04 W/mK	TL: 35.00 %	Sg: 0.35

Profile suplimentare

1 x 880 mm Sohlbank H=30mm L=45mm ,

La fereastra 12 geam model sablat cu parte pictata, cod SD 48

Uw:	0.71 W/m ² K	Sw:	0.27 W/m ² K	Rw(C, Ctr):	35(-3;-5)	R. Aer:	4	R. Apa:	9A	R. Vant:	C5/B5
Suprafata:	2,05 mp	Greutate:	83,93 kg	Perimetru:	6,60 ml	Total:		546.51			



Fereastră 13	1	209.12	209,12
Serie:	ADF Design 82mm MD	Uf: 1.00 W/m ² K	
Culoare INT:	Golden Oak51		
Culoare EXT:	Golden Oak51		
Toc:	HP9220	Toc Design 73mm - clasa A	
Otel Toc:	SR302620.07	R 30*26*2mm	
Bagheta:	Design toc		
Garnitura:	Negre		
Montaj:	Fara montaj + G.M.		
Drenaj:	Picuratori in exterior		

Vedere Interioara

Vitrare	1	48mm, SUN6/Tp18/F4/Tp16/XN4 Arg.90%	Lmm * Hmm	1958 * 712
Ug:	0.50 W/m ² K	Ψ: 0.04 W/mK	TL: 65.00 %	Sg: 0.35

Uw:	0.75 W/m ² K	Sw:	0.26 W/m ² K	Rw(C, Ctr):	35(-3;-5)	R. Aer:	4	R. Apa:	9A	R. Vant:	C5/B5
Suprafata:	1,39 mp	Greutate:	65,42 kg	Perimetru:	5,92 ml	Total:		209.12			

Aceasta oferta este valabila 10 zile.

Data curenta: 1/17/2019


Pag. 7 din 8



DuraTherm

Durability & Thermal efficiency • Warm Edge system

Poziția	Cant.	Preț EUR	Total EUR
---------	-------	----------	-----------



Vedere Interioara

Fereastră 14	1	183.78	183,78
Serie:	ADF Design 82mm MD	Uf: 1.00 W/m ² K	
Culoare INT:	Golden Oak51		
Culoare EXT:	Golden Oak51		
Toc:	HP9220	Toc Design 73mm - clasa A	
Otel Toc:	SR302620.07	R 30*26*2mm	
Bagheta:	Design toc		
Garnitura:	Negre		
Montaj:	Fara montaj + G.M.		
Drenaj:	Picuratori in exterior		

Vitrare	Lmm * Hmm	1624 * 732
1 48mm, SUN6/Tp18/F4/Tp16/XN4 Arg.90%		
Ug: 0.50 W/m ² K Ψ: 0.04 W/mK TL: 65.00 % Sg: 0.35		

Uw: 0.76 W/m ² K	Sw: 0.25 W/m ² K	Rw(C,Ctr): 35(-3;-5)	R. Aer: 4	R. Apa:9A	R. Vant: C5/B5
Suprafata: 1,15 mp	Greutate: 56,11 kg	Perimetru: 5,28 ml			Total: 183.78

Uw total: 0.77 W/m ² K	Sw total: 0.24 W/m ² K	Total Tamplarie:	3,588,14
SuprafataTotala: 20,76 mp	Perimetru Total: 73,74 ml	Total Montaj Tamplarie:	
GreutateTotala: 894,41 kg (14 buc.)			

Total Accesorii:	56,21
Total Montaj Accesorii:	
Total calculație:	3,644,35
Rabat:	22.00 %
Total cu Rabat:	2842.59
TVA (19%):	540,09
Total Plată:	3,382,68 EUR

Aceasta oferta este valabila 10 zile.

Data curenta: 1/17/2019

Pag. 8 din 8



DuraTherm

Durability & Thermal efficiency • Warm Edge system