

FERESTRE, USI, RULOURI

1/23/2019 6:33:03 AM

Cod intern	
Data curenta	23 Jan 2019
Data livrare	23 Jan 2019
Creat de	k100a-0-

Poziția	Cant.	Preț EUR	Total EUR
	1	358.74	358,74
Fereastră 1			Uf: 1.30 W/m ² K
Serie:	ADF Premium 76mm		
Culoare INT:	Mooreiche25		
Culoare EXT:	Mooreiche25		
Toc:	250220	Toc 68mm - clasa A	
Otel Toc:	455230.073	G 35*28*1.5mm	
Cercevea:	251226	Cercevea Arcuita 80mm - clasa A	
Otel CCV.:	455230.073	G 35*28*1.5mm	
Montant:	252120	Montant 82mm	
Bagheta:	Design		
Garnitura:	Negre		
Marcă Fer:	Maco MM Bronze		
Set Fero.:	AHS		
Maner:	MF_H_01 Bronze		
Montaj:	Fara montaj + G.M.		
Drenaj:	Picuratori in exterior		

Vitrare				
2	48mm, 4S/Tp18/F4/Tp18/XN4 Arg.90%, Spross Al 18mm, Decor F2	Lmm * Hmm	569	* 1210
1	48mm, 4S/Tp18/F4/Tp18/XN4 Arg.90%, Spross Al 18mm, Decor F2	Lmm * Hmm	569	* 1314
Ug: 0.50 W/m ² K Ψ: 0.04 W/mK TL: 55.00 % Sg: 0.36				

Accesorii			
Plasa insecte fereastră cu balamale, Mooreiche (698x1339mm)	1	buc	14.54

Profile suplimentare	
1 x 1400 mm Sohlbank H=30mm L=27mm ,	
Sprosurile interioare vor fi executate in culoarea Mooreiche25	

Uw:	0.90 W/m ² K	Sw:	0.24 W/m ² K	Rw(C,Ctr):	33(-1;-6)	R. Aer:	4	R. Apa:	9A	R. Vant:	C5/B5
Suprafata:	2,03 mp	Greutate:	74,74 kg	Perimetru:	5,70 ml	Total:		373.28			


Aceasta oferta este valabila 10 zile.

Data curenta: 1/23/2019

Pag. 1 din 8


DuraTherm

Durability & Thermal efficiency • Warm Edge system

Poziția		Cant.	Preț EUR	Total EUR
	Fereastră 2	1	363.58	363,58
	Serie: ADF Premium 76mm Culoare INT: Mooreiche25 Culoare EXT: Mooreiche25 Toc: 250220 Toc 68mm - clasa A Otel Toc: 455230.073 G 35*28*1.5mm Cercevea: 251226 Cercevea Arcuita 80mm - clasa A Otel CCV.: 455230.073 G 35*28*1.5mm Montant: 252120 Montant 82mm Bagheta: Design Garnitura: Negre Marcă Fer: Maco MM Maro Set Fero.: AHS Maner: MF_H_01 Maro Montaj: Fara montaj + G.M. Drenaj: Picuratori in exterior			Uf: 1.30 W/m ² K
Vedere Interioara	Deschidere Interioara			

Vitrare				
2	48mm, 4S/Tp18/F4/Tp18/XN4 Arg.90%, Spross Al 18mm, Decor F2	Lmm * Hmm	594 * 1210	
1	48mm, 4S/Tp18/F4/Tp18/XN4 Arg.90%, Spross Al 18mm, Decor F2	Lmm * Hmm	594 * 1314	
Ug: 0.50 W/m ² K Ψ: 0.04 W/mK TL: 55.00 % Sg: 0.36				


Accesorii				
	Plasa insecte fereastră cu balamale, Mooreiche (723x1339mm)	1 buc		14.74

Profile suplimentare

1 x 1450 mm Sohlbank H=30mm L=27mm ,

Sprosurile de culoare Mooreiche25. Rugam sa aliniati pe orizontala sprosurile la cele doua ochiuri de geam

Uw:	0.89 W/m ² K	Sw:	0.24 W/m ² K	Rw(C,Ctr):	33(-1;-6)	R. Aer:	4	R. Apa:	9A	R. Vant:	C5/B5
Suprafata:	2,10 mp	Greutate:	77,01 kg	Perimetru:	5,80 ml			Total:			378.32

	Fereastră 3	1	366.96	366,96
	Serie: ADF Premium 76mm Culoare INT: Mooreiche25 Culoare EXT: Mooreiche25 Toc: 250220 Toc 68mm - clasa A Otel Toc: 455230.073 G 35*28*1.5mm Cercevea: 251226 Cercevea Arcuita 80mm - clasa A Otel CCV.: 455230.073 G 35*28*1.5mm Montant: 252120 Montant 82mm Bagheta: Design Garnitura: Negre Marcă Fer: Maco MM Maro Set Fero.: AHS Maner: MF_H_01 Maro Montaj: Fara montaj + G.M. Drenaj: Picuratori in exterior			Uf: 1.30 W/m ² K
Vedere Interioara	Deschidere Interioara			

Vitrare				
2	48mm, 4S/Tp18/F4/Tp18/XN4 Arg.90%, Spross Al 18mm, Decor F2	Lmm * Hmm	609 * 1210	
1	48mm, 4S/Tp18/F4/Tp18/XN4 Arg.90%, Spross Al 18mm, Decor F2	Lmm * Hmm	609 * 1314	
Ug: 0.50 W/m ² K Ψ: 0.04 W/mK TL: 55.00 % Sg: 0.36				

Accesorii				
	Plasa insecte fereastră cu balamale, Mooreiche (738x1339mm)	1 buc		14.87


Profile suplimentare

1 x 1480 mm Sohlbank H=30mm L=27mm ,

Sprosurile de culoare Mooreiche25. Rugam sa aliniati pe orizontala sprosurile de la cele doua ochiuri de geam

Uw:	0.89 W/m ² K	Sw:	0.24 W/m ² K	Rw(C,Ctr):	33(-1;-6)	R. Aer:	4	R. Apa:	9A	R. Vant:	C5/B5
Suprafata:	2,15 mp	Greutate:	78,53 kg	Perimetru:	5,86 ml			Total:			381.83

Aceasta oferta este valabila 10 zile.

Poziția		Cant.	Preț EUR	Total EUR
	Fereastră 4	1	200.18	200,18
	Serie:	ADF Premium 76mm	Uf: 1.30 W/m ² K	
	Culoare INT:	Mooreiche25		
	Culoare EXT:	Mooreiche25		
	Toc:	250220	Toc 68mm - clasa A	
	Otel Toc:	455230.073	G 35*28*1.5mm	
	Bagheta:	Design		
	Garnitura:	Negre		
	Montaj:	Fara montaj + G.M.		
	Drenaj:	Picuratori in exterior		


Vedere Interioara

Vitrare	1	48mm, 4S/Tp18/F4/Tp18/XN4 Arg.90%, Spross Al 18mm, Decor F2	Lmm * Hmm	1084 * 1314
Ug:	0.50 W/m ² K	Ψ: 0.04 W/mK	TL: 55.00 %	Sg: 0.36

Profile suplimentare

1 x 1190 mm Sohlbank H=30mm L=27mm ,

Uw:	0.77 W/m ² K	Sw:	0.28 W/m ² K	Rw(C,Ctr):	33(-1;-6)	R. Aer:	4	R. Apa:	9A	R. Vant:	C5/B5
Suprafata:	1,73 mp	Greutate:	56,99 kg	Perimetru:	5,28 ml	Total:		200.18			



Fereastră 5	1	153.07	153,07
Serie:	ADF Premium 76mm	Uf: 1.30 W/m ² K	
Culoare INT:	Mooreiche25		
Culoare EXT:	Mooreiche25		
Toc:	250220	Toc 68mm - clasa A	
Otel Toc:	455230.073	G 35*28*1.5mm	
Bagheta:	Design		
Garnitura:	Negre		
Montaj:	Fara montaj + G.M.		
Drenaj:	Picuratori in exterior		

Vedere Interioara

Vitrare	1	48mm, 4S/Tp18/F4/Tp18/XN4 Arg.90%, Spross Al 18mm, Decor F2	Lmm * Hmm	889 * 929
Ug:	0.50 W/m ² K	Ψ: 0.04 W/mK	TL: 55.00 %	Sg: 0.36

Profile suplimentare

1 x 995 mm Sohlbank H=30mm L=27mm ,

Sprosuri culoare Mooreiche25

Uw:	0.83 W/m ² K	Sw:	0.26 W/m ² K	Rw(C,Ctr):	33(-1;-6)	R. Aer:	4	R. Apa:	9A	R. Vant:	C5/B5
Suprafata:	1,06 mp	Greutate:	35,72 kg	Perimetru:	4,12 ml	Total:		153.07			

Aceasta oferta este valabila 10 zile.



Poziția	Cant.	Preț EUR	Total EUR
 <p>Vedere Interioara Deschidere Interioara</p>	1	277,90	277,90
Fereastră 6 Serie: ADF Premium 76mm Culoare INT: Mooreiche25 Culoare EXT: Mooreiche25 Toc: 250220 Toc 68mm - clasa A Otel Toc: 455230.073 G 35*28*1.5mm Cercevea: 251226 Cercevea Arcuita 80mm - clasa A Otel CCV.: 455230.073 G 35*28*1.5mm Montant: 252120 Montant 82mm Bagheta: Design Garnitura: Negre Marcă Fer: Maco MM Maro Set Fero.: AHS Maner: MF_H_01 Maro Montaj: Fara montaj + G.M. Drenaj: Picuratori in exterior			
Uf: 1.30 W/m²K			

Vitrare			
2	48mm, 4S/Tp18/F4/Tp18/XN4 Arg.90%, Spross Al 18mm, Decor F2	Lmm * Hmm	366 * 855
1	48mm, 4S/Tp18/F4/Tp18/XN4 Arg.90%, Spross Al 18mm, Decor F2	Lmm * Hmm	367 * 959
Ug: 0.50 W/m²K Ψ: 0.04 W/mK TL: 55.00 % Sg: 0.36			


Accesorii		
Plasa insecte fereastră cu balamale, Mooreiche (495x984mm)	1 buc	10.60

Profile suplimentare

1 x 995 mm Sohlbank H=30mm L=27mm ,

Sprosurile culoare Mooreiche25. Rugam sa aliniati pe orizontala sprosurile de la cele doua ochiuri de geam

Uw: 1.02 W/m²K	Sw: 0.20 W/m²K	Rw(C,Ctr): 33(-1;-6)	R. Aer: 4	R. Apa: 9A	R. Vant: C5/B5
Suprafata: 1,09 mp	Greutate: 42,59 kg	Perimetru: 4,18 ml	Total:		288.50

 <p>Vedere Interioara Deschidere Interioara</p>	1	520,21	520,21
Fereastră 7 Serie: ADF Premium 76mm Culoare INT: Mooreiche25 Culoare EXT: Mooreiche25 Toc: 250220 Toc 68mm - clasa A Otel Toc: 455230.073 G 35*28*1.5mm Cercevea: 251226 Cercevea Arcuita 80mm - clasa A Otel CCV.: 455230.073 G 35*28*1.5mm Montant: 252120 Montant 82mm Bagheta: Design Garnitura: Negre Marcă Fer: Maco MM Maro Set Fero.: AHS Maner: MF_H_01 Maro Montaj: Fara montaj + G.M. Drenaj: Picuratori in exterior			
Uf: 1.30 W/m²K			

Vitrare			
1	48mm, 4S/Tp18/F4/Tp18/XN4 Arg.90%, Spross Al 18mm, Decor F2	Lmm * Hmm	649 * 1324
2	48mm, 4S/Tp18/F4/Tp18/XN4 Arg.90%, Spross Al 18mm, Decor F2	Lmm * Hmm	649 * 1324
3	48mm, 4S/Tp18/F4/Tp18/XN4 Arg.90%, Spross Al 18mm, Decor F2	Lmm * Hmm	648 * 1220
Ug: 0.50 W/m²K Ψ: 0.04 W/mK TL: 55.00 % Sg: 0.36			

Accesorii		
Plasa insecte fereastră cu balamale, Mooreiche (777x1349mm)	1 buc	15.26


Profile suplimentare

1 x 2260 mm Sohlbank H=30mm L=27mm ,

Sprosurile culoare Mooreiche25. Rugam sa aliniati pe orizontala sprosurile de la cele doua ochiuri de geam

Uw: 0.85 W/m²K	Sw: 0.26 W/m²K	Rw(C,Ctr): 32(-1;-6)	R. Aer: 4	R. Apa: 9A	R. Vant: C5/B5
Suprafata: 3,30 mp	Greutate: 117,94 kg	Perimetru: 7,44 ml	Total:		535.47


Aceasta oferta este valabila 10 zile.

Poziția	Cant.	Preț EUR	Total EUR
 <p>Vedere Interioara</p> <p>Deschidere Interioara</p>	1	92.49	92,49
Fereastră 8 Serie: ADF Premium 76mm Culoare INT: Mooreiche25 Culoare EXT: Mooreiche25 Toc: 250220 Toc 68mm - clasa A Otel Toc: 455230.073 G 35*28*1.5mm Cercevea: 251226 Cercevea Arcuita 80mm - clasa A Otel CCV.: 455230.073 G 35*28*1.5mm Bagheta: Design Garnitura: Negre Marcă Fer: Maco MM Maro Set Fero.: AHS Maner: MF_H_01 Maro Montaj: Fara montaj + G.M. Drenaj: Picuratori in exterior			
		Uf: 1.30 W/m ² K	

Vitrare			
1	48mm, 4S/Tp18/F4/Tp18/XN4 Arg.90%	Lmm * Hmm	330 * 390
Ug: 0.50 W/m ² K Ψ: 0.04 W/mK TL: 55.00 % Sg: 0.36			

Accesorii			
Plasa insecte fereastră cu balamale, Mooreiche (459x519mm)	1 buc		7.41

Profile suplimentare			
1 x 540 mm Sohlbank H=30mm L=27mm,			
Uw: 1.18 W/m ² K	Sw: 0.11 W/m ² K	Rw(C,Ctr): 33(-1;-6)	R. Aer: 4
Suprafata: 0,34 mp	Greutate: 14,38 kg	Perimetru: 2,34 ml	R. Apa:9A
			R. Vant: C5/B5
			Total: 99.90

 <p>Vedere Interioara</p> <p>Deschidere Interioara</p>	1	279.33	279,33
Fereastră 9 Serie: ADF Premium 76mm Culoare INT: Mooreiche25 Culoare EXT: Mooreiche25 Toc: 250220 Toc 68mm - clasa A Otel Toc: 455230.073 G 35*28*1.5mm Cercevea: 251226 Cercevea Arcuita 80mm - clasa A Otel CCV.: 455230.073 G 35*28*1.5mm Montant: 252120 Montant 82mm Bagheta: Design Garnitura: Negre Marcă Fer: Maco MM Maro Set Fero.: AHS Maner: MF_H_01 Maro Montaj: Fara montaj + G.M. Drenaj: Picuratori in exterior			
		Uf: 1.30 W/m ² K	

Vitrare			
1	48mm, 4S/Tp18/F4/Tp18/XN4 Arg.90%, Spross Al 18mm, Decor F2	Lmm * Hmm	454 * 844
2	48mm, 4S/Tp18/F4/Tp18/XN4 Arg.90%, Spross Al 18mm, Decor F2	Lmm * Hmm	454 * 740
Ug: 0.50 W/m ² K Ψ: 0.04 W/mK TL: 55.00 % Sg: 0.36			

Accesorii			
Plasa insecte fereastră cu balamale, Mooreiche (0x0mm)	1 buc		2.24

Profile suplimentare			
1 x 1170 mm Sohlbank H=30mm L=27mm,			
Sprosurile culoare Mooreiche25.Rugam sa aliniati pe orizontala sprosurile de la cele doua ochiuri de geam			
Uw: 0.99 W/m ² K	Sw: 0.20 W/m ² K	Rw(C,Ctr): 33(-1;-6)	R. Aer: 4
Suprafata: 1,15 mp	Greutate: 43,91 kg	Perimetru: 4,30 ml	R. Apa:9A
			R. Vant: C5/B5
			Total: 281.57

Aceasta oferta este valabila 10 zile.

Poziția	Cant.	Preț EUR	Total EUR
 <p>Vedere Interioara</p> <p>Deschidere Interioara</p>	1	279.33	279,33
Fereastră 10 Serie: ADF Premium 76mm Culoare INT: Mooreiche25 Culoare EXT: Mooreiche25 Toc: 250220 Toc 68mm - clasa A Otel Toc: 455230.073 G 35*28*1.5mm Cercevea: 251226 Cercevea Arcuita 80mm - clasa A Otel CCV.: 455230.073 G 35*28*1.5mm Montant: 252120 Montant 82mm Bagheta: Design Garnitura: Negre Marcă Fer: Maco MM Maro Set Fero.: AHS Maner: MF_H_01 Maro Montaj: Fara montaj + G.M. Drenaj: Picuratori in exterior			
Uf: 1.30 W/m ² K			

Vitrare			
2	48mm, 4S/Tp18/F4/Tp18/XN4 Arg.90%, Spross Al 18mm, Decor F2	Lmm * Hmm	454 * 740
1	48mm, 4S/Tp18/F4/Tp18/XN4 Arg.90%, Spross Al 18mm, Decor F2	Lmm * Hmm	454 * 844
Ug: 0.50 W/m ² K Ψ: 0.04 W/mK TL: 55.00 % Sg: 0.36			

Accesorii			
Plasa insecte fereastră cu balamale, Mooreiche (583x869mm)	1 buc		10.50

Profile suplimentare	1 x 1170 mm Sohlbank H=30mm L=27mm ,		
Sprosurile culoare Mooreiche25. Rugam sa aliniati pe orizontala sprosurile de la cel doua ochiuri de geam			
Uw: 0.99 W/m ² K	Sw: 0.20 W/m ² K	Rw(C,Ctr): 33(-1;-6)	R. Aer: 4
Suprafata: 1,15 mp	Greutate: 43,91 kg	Perimetru: 4,30 ml	R. Apa:9A
			R. Vant: C5/B5
			Total: 289.83

 <p>Vedere Interioara</p> <p>Deschidere Interioara</p>	1	87.31	87,31
Fereastră 11 Serie: ADF Premium 76mm Culoare INT: Mooreiche25 Culoare EXT: Mooreiche25 Toc: 250220 Toc 68mm - clasa A Otel Toc: 455230.073 G 35*28*1.5mm Cercevea: 251226 Cercevea Arcuita 80mm - clasa A Otel CCV.: 455230.073 G 35*28*1.5mm Bagheta: Design Garnitura: Negre Marcă Fer: Maco MM Maro Set Fero.: AHS Maner: MF_H_01 Maro Montaj: Fara montaj + G.M. Drenaj: Picuratori in exterior			
Uf: 1.30 W/m ² K			

Vitrare			
1	48mm, 4S/Tp18/F4/Tp18/XN4 Arg.90%	Lmm * Hmm	300 * 340
Ug: 0.50 W/m ² K Ψ: 0.04 W/mK TL: 55.00 % Sg: 0.36			

Accesorii			
Plasa insecte fereastră cu balamale, Mooreiche (429x469mm)	1 buc		6.90

Profile suplimentare	1 x 510 mm Sohlbank H=30mm L=27mm ,		
Uw: 1.21 W/m ² K	Sw: 0.10 W/m ² K	Rw(C,Ctr): 33(-1;-6)	R. Aer: 4
Suprafata: 0,30 mp	Greutate: 12,82 kg	Perimetru: 2,18 ml	R. Apa:9A
			R. Vant: C5/B5
			Total: 94.21

Aceasta oferta este valabila 10 zile.

Data curenta: 1/23/2019


Pag. 6 din 8




DuraTherm

Durability & Thermal efficiency • Warm Edge system

Poziția	Cant.	Preț EUR	Total EUR
---------	-------	----------	-----------



Vedere Interioara



Deschidere Interioara

Fereastră 12	1	544.54	544,54
Serie:	ADF Premium 76mm	Uf: 1.30 W/m²K	
Culoare INT:	Mooreiche25		
Culoare EXT:	Mooreiche25		
Toc:	250220	Toc 68mm - clasa A	
Otel Toc:	455230.073	G 35*28*1.5mm	
Cercevea:	251226	Cercevea Arcuita 80mm - clasa A	
Otel CCV.:	455230.073	G 35*28*1.5mm	
Stulp:	256030	Stulp 62mm	
Bagheta:	Design		
Garnitura:	Negre		
Marcă Fer:	Maco MM Maro		
Set Fero.:	Canat 2, Arcada incompleta 2K		
Maner:	MF_H_01 Maro		
Montaj:	Fara montaj + G.M.		
Drenaj:	Picuratori in exterior		

Vitrare			
1	48mm, 4S/Tp18/F4/Tp18/XN4 Arg.90%, Spross Al 18mm, Decor F2	Lmm * Hmm	357 * 908
2	48mm, 4S/Tp18/F4/Tp18/XN4 Arg.90%, Spross Al 18mm, Decor F2	Lmm * Hmm	357 * 908
Ug: 0.50 W/m²K Ψ: 0.04 W/mK TL: 55.00 % Sg: 0.36			

Profile suplimentare

1 x 1060 mm Sohlbank H=30mm L=27mm ,

Sprosuri culoare Mooreiche25

Uw:	1.06 W/m²K	Sw:	0.17 W/m²K	Rw(C,Ctr):	33(-1;-6)	R. Aer:	4	R. Apa:	9A	R. Vant:	C2/B2
Suprafata:	1,17 mp	Greutate:	54,39 kg	Perimetru:	4,42 ml	Total:		544.54			

Aceasta oferta este valabila 10 zile.

Data curenta: 1/23/2019


Pag. 7 din 8



DuraTherm

Durability & Thermal efficiency • Warm Edge system

Poziția	Cant.	Preț EUR	Total EUR
---------	-------	----------	-----------



Vedere Interioara

Deschidere Interioara

Ușă 13	1	908.64	908,64
Serie:	ADF Premium 76mm	Uf: 1.30 W/m²K	
Culoare INT:	Mooreiche25		
Culoare EXT:	Mooreiche25		
Toc:	250234	Toc 85mm	
Otel Toc:	455235.074	R 35*28*2mm	
Cercevea:	251236	Cercevea Arcuita 104mm - clasa A	
Otel CCV.:	455030.074	G 40*52*2mm	
Montant:	252120,	Montant 82mm	
	B251040	Bandou 106mm pt. cercevea	
Stulp:	256030	Stulp 62mm	
Bagheta:	Design		
Garnitura:	Negre		
Marcă Fer:	Maco G-TS 4*i.S Maro		
Set Fero.:	canat 2, G-TS 4*i.S 2K		
Balama usa:	86074000712	Balama SMW-SIKU 3D Maro SL	6 buc
Maner:	MU_G_11 Maro Defender		
Prag:	250234	Toc 85mm + Protectie Aluminiu	
Montaj:	Fara montaj + G.M.		
Drenaj:	Picuratori in exterior		

Vitrare		Lmm * Hmm	694 * 1828
3	40mm, XN4/Tp14/Herra2/Tp14/XN4 Arg.90%	Lmm * Hmm	274 * 1874
1	40mm, XN4/Tp14/Herra2/Tp14/XN4 Arg.90%	Lmm * Hmm	274 * 1828
2	40mm, XN4/Tp14/Herra2/Tp14/XN4 Arg.90%		
Ug: 0.60 W/m²K Ψ: 0.04 W/mK TL: 35.00 % Sg: 0.54			

Accesorii			
Plasa insecte fereastra cu balamale, Nussbaum (1329x2005mm)	1	buc	25.26
La Pui Herra 2 271-B sticla sablata si model transparent			
La usa mare Herra2 133-B sticla sablata si model transparent			

Uw:	1.03 W/m²K	Sw:	0.30 W/m²K	Rw(C,Ctr):	31(-1;-6)	R. Aer:	4	R. Apa:	4A	R. Vant:	C2/B2
Suprafata:	3,75 mp	Greutate:	153,94 kg	Perimetru:	7,78 ml	Total:		933.90			

Uw total:	0.93 W/m²K	Sw total:	0.24 W/m²K	Total Tamplarie:	4,432,28
SuprafataTotala:	21,32 mp	Perimetru Total:	63,70 ml	Total Montaj Tamplarie:	
GreutateTotala:	806,88 kg	(13 buc.)		Total Accesorii:	122,32
				Total Montaj Accesorii:	
				Total calculație:	4,554,60
				Rabat:	22.00 %
				Total cu Rabat:	3552.59
				TVA (19%):	674,99
				Total Plată:	4,227,58 EUR

Aceasta oferta este valabila 10 zile.

Data curenta: 1/23/2019

Pag. 8 din 8



DuraTherm

Durability & Thermal efficiency • Warm Edge system